



660T60" T25H6E60

FIG. 1




| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 2




09394521-091099

FIG. 3




660T60" T2546E60

FIG. 4




00304521 00100

FIG. 5-1



093451-10109


FIG. 5-2



09394521.091099


| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 6-1




660160" T2546E60

FIG. 6-2




09394521-091099

FIG. 7-2




093451 254660

FIG. 7-3




0639451-091099

FIG. 7-4




09394521-091099

FIG. 8-2




00394521-1091059

FIG. 8-3




093451 104560

FIG. 8-4




09394521 091099

FIG. 9




09394521 091099

FIG. 10




00451 09100
660T60" T2546E60

FIG. 11




0039451.091060

FIG. 12-1




660T60" T2546E60

FIG. 12-2



093451.09109

FIG. 13



0934521-091059

660760" F2546E60

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 14

| TYPE OF COMMAND | COMMAND PHASE PARAMETER | DATA PHASE PARAMETER | FLOW OF DATA |
|---------------------|-----------------------------|---|--------------|
| RESERVE UNIT | NO | NO | |
| RELEASE UNIT | NO | NO | |
| INFORMATION REQUEST | SIZE OF DATA TO BE ACCEPTED | TYPE OF MODEL, VERSION, TERMINAL PERFORMANCE, CAUSES OF ABNORMALITY | PC ←--- FAX |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 15

| TYPE OF COMMAND | COMMAND PHASE PARAMETER | DATA PHASE PARAMETER | FLOW OF DATA |
|-----------------------------|---|---|--------------|
| SCANNER INFORMATION REQUEST | SIZE OF DATA TO BE ACCEPTED | ORIGINAL DOCUMENT DETECTION INFORMATION, ABNORMALITY NOTIFICATION | PC ←--- FAX |
| READING PARAMETER SET | SIZE OF DATA TO BE SENT OUT | RESOLUTION, READING SIZE, ENCODING SYSTEM, DENSITY, IMAGE PROCESSING METHOD | PC ---> FAX |
| READING REQUEST | FILE TYPE SPECIFICATION | NO | |
| FILE INFORMATION REQUEST | SIZE OF DATA TO BE ACCEPTED, COMMAND TYPE | CREATED FILE INFORMATION AS A RESULT OF EXECUTING READING REQUEST | PC ←--- FAX |
| STOP | NO | NO | |
| STATUS REQUEST | SIZE OF DATA TO BE ACCEPTED | CAUSES OF ABNORMALITY | PC ←--- FAX |

660T60" T2546E60

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 16

| TYPE OF COMMAND | COMMAND PHASE PARAMETER | DATA PHASE PARAMETER | FLOW OF DATA |
|-----------------------------|-----------------------------|---|--------------|
| PRINTER INFORMATION REQUEST | SIZE OF DATA TO BE ACCEPTED | RECORDING PAPER INFORMATION, ABNORMALITY NOTIFICATION | PC ←--- FAX |
| PRINTER OUTPUT REQUEST | SIZE OF DATA TO BE SENT OUT | PRINT OUTPUT FILE SPECIFICATION | PC ---→ FAX |
| STOP | NO | NO | |
| STATUS REQUEST | SIZE OF DATA TO BE ACCEPTED | CAUSES OF ABNORMALITY | PC ←--- FAX |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FID. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 17

| TYPE OF COMMAND | COMMAND PHASE PARAMETER | DATA PHASE PARAMETER | FLOW OF DATA |
|--------------------------|--|--|--------------|
| ATTRIBUTE SPECIFICATION | SIZE OF DATA TO BE SENT OUT | SPECIFICATION OF ATTRIBUTES OF FILE TO BE CREATED IMAGE DATA: PAPER SIZE, RESOLUTION, ENCODING METHOD CHARACTER DATA: CHARACTER TYPE | PC → → FAX |
| DATA WRITE | SIZE OF DATA TO BE SENT OUT, DATA CONTINUATION FLAG, PAGE CONTINUATION FLAG, | DATA (IMAGE, CHARACTER) | PC → → FAX |
| FILE SPECIFICATION | SIZE OF DATA TO BE SENT OUT | READING FILE SPECIFICATION | PC → → FAX |
| DATA READ | SIZE OF DATA TO BE ACCEPTED | DATA (IMAGE, CHARACTER) | PC ← ← FAX |
| FILE INFORMATION REQUEST | SIZE OF DATA TO BE ACCEPTED, COMMAND TYPE, FILE ID RAGE SPECIFICATION | FILE INFORMATION | PC ← ← FAX |
| FILE DELETE REQUEST | SIZE OF DATA TO BE SENT OUT | SPECIFICATION OF FILE TO BE DELETED | PC → → FAX |
| STATUS REQUEST | SIZE OF DATA TO BE ACCEPTED | CAUSES OF ABNORMALITY | PC ← ← FAX |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 18

| TYPE OF COMMAND | COMMAND PHASE PARAMETER | DATA PHASE PARAMETER | FLOW OF DATA |
|--|---|--|--------------|
| SESSION OPEN | SIZE OF DATA TO BE SENT OUT | ADDRESS INFORMATION, TERMINAL PERFORMANCE | PC--->FAX |
| REQUEST FOR INFORMATION ABOUT PARTNER TERMINAL | SIZE OF DATA TO BE ACCEPTED | ID OF PARTNER TERMINAL, TERMINAL PERFORMANCE | PC<---FAX |
| SESSION CLOSE | NO | NO | |
| COMMUNICATION RESULT REQUEST | SIZE OF DATA TO BE ACCEPTED | COMMUNICATION RESULT INFORMATION | PC<---FAX |
| COMMUNICATION STOP | NO | NO | |
| FILE INFORMATION REQUEST | SIZE OF DATA TO BE ACCEPTED, COMMAND TYPE | INFORMATION ON FILE TO BE RECEIVED | PC<---FAX |
| TRANSMISSION REQUEST | SIZE OF DATA TO BE SENT OUT | INFORMATION ON FILE TO BE TRANSMITTED, COMMUNICATION METHOD, ADDRESS INFORMATION | PC--->FAX |
| RECEPTION REQUEST | SIZE OF DATA TO BE SENT OUT | COMMUNICATION METHOD, ADDRESS INFORMATION | PC--->FAX |
| POLLING RECEPTION REQUEST | SIZE OF DATA TO BE SENT OUT | COMMUNICATION METHOD, ADDRESS INFORMATION | PC--->FAX |

660T60" T25H6E60

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 19

| TYPE OF COMMAND | COMMAND PARAMETER | DATA |
|-------------------------------------|-------------------|------------------|
| FILE ID LIST REQUEST | NO | FILE ID LIST |
| INDIVIDUAL FILE INFORMATION REQUEST | FILE ID, PAGE | FILE INFORMATION |
| UP-TO-DATE FILE INFORMATION REQUEST | NO | FILE INFORMATION |

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 20

| FILE INFORMATION | PARAMETER |
|------------------------------|---|
| FILE TYPE | <ul style="list-style-type: none"> • FILE INPUTTED FROM SCANNER • FILE TRANSFERRED FROM HOST COMPUTER AND STORED IN MEMORY • FILE IN WHICH FACSIMILE IS RECEIVED |
| FILE ATTRIBUTES | <ul style="list-style-type: none"> • IMAGE FILE (RAW IMAGE, MMR, MR, MH, INTERMEDIATE CODE) • CHARACTER FILE (ASCII, JIS, IAS) |
| NUMBER OF PAGES | • INTEGER |
| FILE ID | • INTEGER |
| NUMBER OF BYTES OF PAGE DATA | • INTEGER |
| IMAGE SIZE | • A5, A4, A3, B5, B4, LETTER, LEGAL |
| MAIN SCCANNING RESOLUTION | • 400ppi, 300ppi, 200ppi |
| SUB-SCANNING RESOLUTION | • 400ppi, 300ppi, 200ppi, 100ppi |